ELSEVIER

Journal of Magnetism and Magnetic Materials 166 (1997) 381–384

Journal of magnetism and magnetic materials

Author index to volume 166

Abu-Safia, H., see Yusuf, N.A. 374
Akimoto, R., see Ishizuka, M. 211
Alimoussa, A., see Pizzini, S. 38
Amaya, K., see Ishizuka, M. 211
Ando, Y., H. Koizumi and T. Miyazaki, Exchange coupling energy determined by ferromagnetic resonance in 80Ni–Fe/Cu multilayer films 75
Andreev, A.V., see Javorský, P. 133
Atherton, D.L., see Yu, Y. 290

Baran, M., H. Szymczak, R. Szymczak, S.N. Barilo, V.I. Gatalskaya and S.V. Shiryaev, Scaling behavior of magnetization in $Ba_{1-x}K_xBiO_3$ single crystals 124
Barilo, S.N., see Baran, M. 124
Barinov, V.A., see Yelsukov, E.P. 334
Baszyński, J., see Kowalczyk, A. 237
Baudelet, F., see Pizzini, S. 38
Beaurepaire, E., see Maret, M. 45
Bednarek, S., Magnetoelastic properties of a ferroelast within an organo-silicon polymer matrix 91
Belayachi, A., see Bhandage, G.T. 141
Benhamou, M., see El Houari, B. 97
Bhandage, G.T., A. Belayachi, M. Noguès, G. Villers, J.L. Dormann and H.V. Keer, Magnetic properties of $Ni_xCd_{1-x}Mn_2O_4$ ($0.2 \leq x \leq 0.8$) 141
Bhattacharya, D.K. and S. Vaidyanathan, Effect of the demagnetisation factor on the Barkhausen noise signal 111
Bobo, J.-F., see Pizzini, S. 38
Bombik, A., see Paradowski, M.L. 231
Brouers, F., see Granovsky, A. 193
Brown, J., see Javorský, P. 133
Buck, S. and M. Fähnle, Rare-earth magnetic anisotropy: is the crystal field theory valid? 297
Burlet, P., see Javorský, P. 133

Cadeville, M.C., see Maret, M. 45
Cahill, D.G., see Theis-Bröhl, K. 27
Caignaert, V., $Sr_2Mn_2O_5$ magnetic structure 117
Calleja, J.F., see Rivas, M. 53
Casanove, M.J., see Pizzini, S. 38
Celinski, Z., K.B. Urquhart and B. Heinrich, Using ferromagnetic resonance to measure the magnetic moments of ultrathin films 6
Chaboy, J., J. García and A. Marcelli, The effect of hydrogen absorption on the structural, electronic and magnetic properties of the C15 Friauf–Laves phase compounds $CeFe_2$, $CeRu_2$ and $LaRu_2$: an X-ray absorption spectroscopy study 149
Chandra, G., see Sharma, N. 65
Chattoraj, I., see Palit, S. 186
Chełkowska, G., see Kowalczyk, A. 237
Chouteau, G., see El Houari, B. 97
Christodoulides, J.A., N.B. Shevchenko, G.C. Hadjipanayis and V. Papaefthymiou, Effect of preparation conditions on the hysteresis behavior of granular Fe–SiO_2 283
Chshiev, M., see Granovsky, A. 193
Chuang, Y.C., see Wu, C.H. 249
Contreras, M.C., see Rivas, M. 53

da Costa, M.I., see dos Santos, A.V. 223
Davies, H.A., see Leonowicz, M. 165
de Boer, F.R., see Wang, J.L. 355
Dormann, J.L., see Bhandage, G.T. 141
Dorofeev, G.A., see Yelsukov, E.P. 334
dos Santos, A.V., M.I. da Costa and C.A. Kuhnen, Electronic structure and magnetic properties of Fe_4C 223
Duraj, M., see Duraj, R. 207
Duraj, R., M. Duraj and A. Szytuła, Influence of a Si atom admixture on the magnetic properties of $SmMn_2Ge_2$ 207

Eftimova, K., R. Laiho, E. Lähderanta and P. Nordblad, Low-temperature dynamic magnetic properties of $Pd_xCo_{50}Al_{50-x}$ alloys 179
El Hafidi, M., see El Houari, B. 97
El Houari, B., M. Benhamou, M. El Hafidi and G. Chouteau, Para-ferrimagnetic transition in strong coupling paramagnetic systems: Landau theory approach 97
Endo, S., see Ishizuka, M. 211
Eyert, V., see Matar, S.F. 321

Fabrowski, R., see Kletowski, Z. 361
Fähnle, M., see Buck, S. 297
Feng, J.W., see Kang, S.S. 277
Ferrell, R.E., see Li, H.-S. 365
Flynn, C.P., see Theis-Bröhl, K. 27
Fontaine, A., see Pizzini, S. 38

0304-8853/97/$17.00 Copyright © 1997 Elsevier Science B.V. All rights reserved

García, J., see Chaboy, J. 149
Garcia, L.M., see Pizzini, S. 38
Gatalskaya, V.I., see Baran, M. 124
Ghatak, S.K., see Palit, S. 186
Godovikov, S.K., see Yelsukov, E.P. 334
Granovsky, A., F. Brouers, A. Kalitsov and M. Chshiev, Extraordinary Hall effect in magnetic granular alloys 193
Granovsky, A.B., see Prudnikova, M.V. 201
Grenier, C.G., see Li, H.-S. 365

Hadjipanayis, G.C., see Christodoulides, J.A. 283
Hafner, J., see Spišák, D. 303
Hamacher, K., see Theis-Bröhl, K. 27
Harris, I.R., see Leonowicz, M. 165
Hatch, G.P., see Leonowicz, M. 165
Heinrich, B., see Celinski, Z. 6
Henkie, Z., see Kletowski, Z. 361
Herr, A., see Maret, M. 45
Hoshino, K., see Nakatani, R. 261
Hoshiya, H., see Nakatani, R. 261
Hu, A., see Kang, S.S. 277
Hubert, A., see Schmeusser, S. 267

Ishizuka, M., Y. Kai, R. Akimoto, M. Kobayashi, K. Amaya and S. Endo, Pressure-induced ferromagnetism in EuTe 211

Javorský, P., P. Burlet, V. Sechovský, A.V. Andreev, J. Brown and P. Svoboda, Neutron diffraction study of magnetic structures in TbNiAl 133
Jiang, S.S., see Kang, S.S. 277
Jin, G.J., see Kang, S.S. 277
Jin, S., see Zhou, L. 253
Jin, X.M., see Wu, C.H. 249

Kai, T., see Kobayashi, M. 329
Kai, Y., see Ishizuka, M. 211
Kaiser, H., see Theis-Bröhl, K. 27
Kalitsov, A., see Granovsky, A. 193
Kang, S.S., J.W. Feng, G.J. Jin, M. Lu, X.N. Xu, A. Hu, S.S. Jiang and H. Xia, Magnetic anisotropy of Ni/Al multilayers 277
Kasuya, T. and D.X. Li, Mechanism of anomalously weak magnetic scattering in Gd monopnictides L1
Keer, H.V., see Bhandage, G.T. 141
Kleineberg, T., A generalized approach for modelling the nonlocal memory of hysteretic systems 315
Kletowski, Z., R. Fabrowski, P. Slawiński and Z. Henkie, Resistance of some $REMe_3$ compounds, RE = La and Lu, Me = Sn, Pb, In, and Ga 361
Kobayashi, M., T. Kai, N. Takano, Y. Ohashi and K. Shiiki, Effect of Nb addition to Ni and Fe on electronic structure and magnetic properties 329
Kobayashi, M., see Ishizuka, M. 211
Koizumi, H., see Ando, Y. 75
Konygin, G.N., see Yelsukov, E.P. 334
Korczak, S.Z., see Paradowski, M.L. 231
Korczak, W., see Paradowski, M.L. 231
Kováč, J., see Kowalczyk, A. 237
Kowalczyk, A., A. Szajek, J. Baszyński, J. Kováč and G. Chełkowska, The influence of partial substitution of Co by Al atoms on the magnetic properties of $DyCo_2$ compound 237
Kozlova, T.M., see Prudnikova, M.V. 201
Krause, T.W., see Yu, Y. 290
Krok-Kowalski, J., J. Warczewski, T. Mydlarz, A. Pacyna and I. Okońska-Kozłowska, Magnetic superexchange interactions and metamagnetic phase transitions in the single crystals of the spinels $ZnCr_{2-x}In_xSe_4$ ($0 \leq x \leq 0.14$) 172
Kuhnen, C.A., see dos Santos, A.V. 223
Kumagai, S., T. Yaoi and T. Miyazaki, Spin tunneling magnetoresistance in $NiFe/Al_2O_3/Co$ junctions with reduced dimensions formed using photolithography 71

Lacroix, C., see Pinettes, C. 59
Lähderanta, E., see Eftimova, K. 179
Laiho, R., see Eftimova, K. 179
Leonowicz, M., P.J. McGuiness, G.P. Hatch, H.A. Davies and I.R. Harris, Crystallographic and magnetic alignment in hot-rolled $Pr_{20}Fe_{74}B_4Cu_2$ alloys 165
Li, D.X., see Kasuya, T. L1
Li, H.-S., R.C. Mohanty, A. Raman, C.G. Grenier and R.E. Ferrell, Magnetocrystalline anisotropy of $Y_2Fe_{17-x}Ga_x$ 365
Li, J.Y., see Wu, C.H. 249
Lorenz, R., see Spišák, D. 303
Lu, M., see Kang, S.S. 277

Madhav Rao, L., see Yusuf, Sk.M. 349
Malgrange, C., see Pizzini, S. 38
Marcelli, A., see Chaboy, J. 149
Maret, M., M.C. Cadeville, R. Poinsot, A. Herr, E. Beaurepaire and C. Monier, Structural order related to the magnetic anisotropy in epitaxial (111) $CoPt_3$ alloy films 45
Matar, S.F. and V. Eyert, Chemical bonding and magnetism in the equiatomic intermetallic system UCoSn from first principles 321
McGuiness, P.J., see Leonowicz, M. 165
Mitra, A., see Palit, S. 186
Miyazaki, T., see Ando, Y. 75
Miyazaki, T., see Kumagai, S. 71
Mohanty, R.C., see Li, H.-S. 365
Monier, C., see Maret, M. 45
Mydlarz, T., see Krok-Kowalski, J. 172

Nagarajan, V., see Yusuf, Sk.M. 349
Nakatani, R., K. Hoshino, H. Hoshiya and Y. Sugita, Oscillation period of magnetoresistance and texture in Co/Cu–Ni and Ni–Fe/Cu–Ni multilayers 261
Nigam, A.K., see Sharma, N. 65

Noguès, M., see Bhandage, G.T. 141
Nordblad, P., see Eftimova, K. 179

Ohashi, Y., see Kobayashi, M. 329
Okońska-Kozłowska, I., see Krok-Kowalski, J. 172

Pacyna, A., see Krok-Kowalski, J. 172
Pacyna, A.W., see Paradowski, M.L. 231
Pai, S.P., see Sharma, N. 65
Palit, S., I. Chattoraj, V. Rao, S.K. Ghatak and A. Mitra, Influence of hydrogen on the magnetic properties of amorphous Fe–Si–B fibres 186
Papaefthymiou, V., see Christodoulides, J.A. 283
Paradowski, M.L., A.W. Pacyna, A. Bombik, W. Korczak and S.Z. Korczak, Magnetic susceptibility of $La_xNd_{1-x}F_3$ single crystals 231
Park, E.B., see Yang, C.J. 243
Paulose, P.L., see Yusuf, Sk.M. 349
Petit, C. and M.P. Pileni, Nanosize cobalt boride particles: control of the size and properties 82
Piecuch, M., see Pizzini, S. 38
Pileni, M.P., see Petit, C. 82
Pinettes, C. and C. Lacroix, Influence of surface anisotropy in ferromagnetic thin films 59
Pinto, R., see Sharma, N. 65
Pizzini, S., A. Fontaine, L.M. Garcia, J.-F. Bobo, M. Piecuch, F. Baudelet, C. Malgrange, A. Alimoussa, E. Snoeck and M.J. Casanove, X-ray magnetic circular dichroism and element-selective magnetic hysteresis in Fe/Cu/Co/Cu multilayers 38
Poinsot, R., see Maret, M. 45
Prasad, S., see Sharma, N. 65
Prudnikov, V.N., see Prudnikova, M.V. 201
Prudnikova, M.V., T.M. Kozlova, V.N. Prudnikov and A.B. Granovsky, Hall effect and magnetoresistance in rapidly quenched Fe–B ribbons 201

Qasmieh, I., see Yusuf, N.A. 374

Raman, A., see Li, H.-S. 365
Rao, V., see Palit, S. 186
Rhyne, J.J., see Theis-Bröhl, K. 27
Ritley, K.A., see Theis-Bröhl, K. 27
Rivas, M., J.F. Calleja and M.C. Contreras, Transverse Kerr magnetometry for the study of thin films presenting perpendicular and in-plane anisotropy 53
Rupp, G., see Schmeusser, S. 267

Schmeusser, S., G. Rupp and A. Hubert, Optimization of giant magnetoresistance in ion beam sputtered Co/Cu multilayers 267
Sechovský, V., see Javorský, P. 133
Sharma, N., A.K. Nigam, R. Pinto, N. Venkataramani, S. Prasad, G. Chandra and S.P. Pai, Giant magnetoresistance studies on $La_{(0.8-x)}R_xSr_{0.2}MnO_3$ thin films (R = Pr, Nd, Gd, Ho) 65
Shevchenko, N.B., see Christodoulides, J.A. 283
Shiiki, K., see Kobayashi, M. 329
Shiryaev, S.V., see Baran, M. 124
Slawiński, P., see Kletowski, Z. 361
Snoeck, E., see Pizzini, S. 38
Spišák, D., J. Hafner and R. Lorenz, Noncollinear magnetism in amorphous Fe–Y alloys 303
Sugita, Y., see Nakatani, R. 261
Sun, X., see Yang, J. 216
Svoboda, P., see Javorský, P. 133
Szajek, A., see Kowalczyk, A. 237
Szymczak, H., see Baran, M. 124
Szymczak, R., see Baran, M. 124
Szytuła, A., see Duraj, R. 207

Takano, N., see Kobayashi, M. 329
Tang, N., see Wang, J.L. 355
Tao, R., see Zhou, L. 253
Theis-Bröhl, K., K.A. Ritley, C.P. Flynn, J.E. Van Nostrand, D.G. Cahill, K. Hamacher, H. Kaiser and J.J. Rhyne, Coexistence of different magnetic phases in Dy/Y superlattices caused by growth induced nanostructures 27

Urquhart, K.B., see Celinski, Z. 6

Vaidyanathan, S., see Bhattacharya, D.K. 111
Van Nostrand, J.E., see Theis-Bröhl, K. 27
Venkataramani, N., see Sharma, N. 65
Villers, G., see Bhandage, G.T. 141
Voronina, E.V., see Yelsukov, E.P. 334

Wang, J.L., N. Tang, R.W. Zhao, F.M. Yang and F.R. de Boer, Magnetic properties of $Y(Fe,M)_{10}Si_2$ compounds (M = Fe, Ni, Co and Mn) 355
Wang, Q., see Yang, J. 216
Warczewski, J., see Krok-Kowalski, J. 172
Weyman, P., see Yu, Y. 290
Wu, C.H., C.P. Yang, Y.C. Chuang, X.M. Jin and J.Y. Li, Structure and magnetostriction of $R(Fe_{1-x}Mn_x)_{1.85}$ alloys ($R = Dy_{0.6}Tb_{0.3}Pr_{0.1}$) 249

Xia, H., see Kang, S.S. 277
Xie, N., see Zhou, L. 253
Xu, X.N., see Kang, S.S. 277

Yang, C.J. and E.B. Park, The effect of magnetic field treatment on the enhanced exchange coupling of a $Nd_2Fe_{14}B/Fe_3B$ magnet 243
Yang, C.P., see Wu, C.H. 249
Yang, F.M., see Wang, J.L. 355
Yang, J., Q. Wang and X. Sun, The structures and magnetic properties of mechanically alloyed Sm–Fe–T (T = Ti, Ti + V, V) systems 216
Yaoi, T., see Kumagai, S. 71

Yelsukov, E.P., E.V. Voronina, G.N. Konygin, V.A. Barinov, S.K. Godovikov, G.A. Dorofeev and A.V. Zagainov, Structure and magnetic properties of $Fe_{100-x}Sn_x$ ($3.2 < x < 62$) alloys obtained by mechanical milling 334

Yu, Y., T.W. Krause, P. Weyman and D.L. Atherton, Tensor magnetic hysteresis loop measurements of a steel cube 290

Yusuf, N.A., I. Qasmieh and H. Abu-Safia, On the concentration and wavelength dependence of the degree of polarization in magnetic fluids 374

Yusuf, Sk.M., L. Madhav Rao, P.L. Paulose and V. Nagarajan, Polarised neutron study of amorphous $Fe_{90-x}Ru_xZr_{10}$ alloys 349

Zagainov, A.V., see Yelsukov, E.P. 334

Zhao, R.W., see Wang, J.L. 355

Zhou, L., S. Jin, N. Xie and R. Tao, A quantum model for the magnetic multi-valued recording 253

ELSEVIER

Journal of Magnetism and Magnetic Materials 166 (1997) 385–386

journal of magnetism and magnetic materials

Subject index to Volume 166

Amorphous materials 186
Amorphous systems
– rare-earth 303
– ribbons 201, 349
Anisotropy 277
– magnetocrystalline 355, 365
– perpendicular 45, 53
– random 141
– rare-earth 297
– single-ion 253
– surface 59
– uniaxial 355
Arrott plot 97

Barkhausen noise 111

Cancellation mechanism L1
Carrier density L1
Chemical bonding 321
Coercivity 283
Composites 82, 91
Critical current 124
Crystal field 297
Crystal structure 165
Curie temperature 237, 249, 355, 365
Curie–Weiss law 231

Demagnetization factor 111
Dichroism 38
Disordered systems 334
Domain pattern 111
Domain wall
– motion 290

Electron–phonon interactions 361
Electronic structure 223, 237, 321, 329
Electronic transport 361
Epitaxy 27
Exchange coupling 27, 243, 267
– interlayer 71
Exchange energy 75
Exchange interaction L1

Ferrimagnetism 97
Ferrites 141
Ferromagnetic resonance 6, 75, 277
Fine particles 374
Flux pinning 124

g-factor 231
Gradient 91
Grain size 243, 334
Granular alloy 193, 283

Hall effect 193, 201
Hard magnetic materials 243
Heisenberg model 59
Hot-rolling 165
Hybridization 149
Hydrogen absorption 149
Hydrogenation 186
Hyperfine fields 223, 334
Hysteresis 315
Hysteresis loops 38, 111, 124, 253, 290

Interfaces
– structure 267
Intermediate valence 149

Junction
– metal–insulator 71

Kerr effect 45
Korringa–Kohn–Rostoker method 329

Laves phase compounds 149, 237, 249
Linear muffin-tin orbital method 223
Local spin density approximation 303, 321, 329

Magnetic field 91
Magnetic fluids 374
Magnetic moment 6, 223
– local 329
Magnetic ordering 361
Magnetic recording media 253
Magnetic scattering L1
Magnetic structure 27, 117, 133, 165, 321
– nonlinear 303
Magnetization 53, 82, 133, 211, 237, 334, 365
– component 290
– high-field 141
– rotation 290
– saturation 186
– thickness dependent 59
Magneto-optics 374
Magnetoelastics 91
Magnetoresistance 201
– giant 65, 75, 193, 261, 267
– spin tunneling 71
Magnetostriction 249
Mechanical alloys 216
Melt-spun alloys 243
Metamagnetism 133, 172
Microstructure 216, 283
Model 91
Monopnictides L1
Mössbauer spectroscopy 283, 334
Multilayers 27, 38, 75, 261, 267, 277

Nanocrystalline materials 334
Neutron diffraction 27, 117, 133
NMR 141

Organo-silicon polymer 91

Paramagnetism 97
Particles
– ferromagnetic 91
Permanent magnet 165
Perovskite structure 117
Phase diagrams 207
Phase transitions
– ferro–antiferromagnetic 207, 211
– first-order 237
– para–ferromagnetic 97
– pressure 211
Polarization effects 374
Polarized neutron 349
Pressure effects 207

Rare earth 297
– intermetallic compounds 361

Rare-earth–transition metal compounds 133, 149, 207, 216, 237, 249, 355, 365
Re-entrant phenomena 179
Relaxation 124, 179
Remanence 165
Resistivity 65
RHEED 27

Simulation 315
Single crystals 133, 172, 231
Single-point detection method 355
Spin cluster 349
Spin glass 179
– re-entrance 349
Spin waves 59
Spinel 172
Spring magnets 243
Sputtering
– dc 283
– rf 283
SQUID 45
Strain 165
Structure 91
Superconductors 124
Superexchange 172
Superparamagnetism 82
Susceptibility 53, 82, 117, 141, 172, 211
– ac 179, 231, 283, 334
– dc 231
Switching field 186

Texture
– thin film 261
Thin films 6, 45, 59, 65
Transverse Kerr magnetometry 53
Two-dimensional systems 253

X-ray absorption spectroscopy 149
X-ray diffraction 27, 45, 261, 365